

CURLMOPT_CHUNK_LENGTH_PENALTY_SIZE(3) setopt(3) **CURLMOPT_CHUNK_LENGTH_PENALTY_SIZE(3)**

NAME

CURLMOPT_CHUNK_LENGTH_PENALTY_SIZE – chunk length threshold for pipelining

SYNOPSIS

```
#include <curl/curl.h>
```

```
CURLMcode curl_multi_setopt(CURLM *handle, CURLMOPT_CHUNK_LENGTH_PENALTY_SIZE,  
long size);
```

DESCRIPTION

Pass a long with a **size** in bytes. If a pipelined connection is currently processing a chunked (Transfer-encoding: chunked) request with a current chunk length larger than *CURLMOPT_CHUNK_LENGTH_PENALTY_SIZE(3)*, that pipeline will not be considered for additional requests, even if it is shorter than *CURLMOPT_MAX_PIPELINE_LENGTH(3)*.

DEFAULT

The default value is 0, which means that the penalization is inactive.

PROTOCOLS

HTTP(S)

EXAMPLE

TODO

AVAILABILITY

Added in 7.30.0

RETURN VALUE

Returns CURLM_OK if the option is supported, and CURLM_UNKNOWN_OPTION if not.

SEE ALSO

CURLMOPT_PIPELINING(3), **CURLMOPT_CONTENT_LENGTH_PENALTY_SIZE(3)**, **CURLMOPT_MAX_PIPELINE_LENGTH(3)**,